



Technical Data Sheet

OVERVIEW

The HempTrain Advanced Processing System employs an automated, non-destructive technology engineered to mass-process baled hemp straw – round or square bales – into four high-value product streams: premium, long, intact fiber; spec-sized hurd, clean micro-hurd and nutrient rich green micro-fiber.

Developed by an expert engineering company, in business since 2002 (owned by an award-winning engineering group since 1987), HempTrain is the only commercially proven world-wide, state-of-the-art hemp processing system, designed to serve industrial scale operations and access multi-billion-dollar markets across construction, bio-composites, agriculture and consumer sectors. HempTrain manufactured products are aimed at supporting sustainability in almost every sector of the economy.

EQUIPMENT FEATURES

> High Fiber Feedstock Processing

HempTrain employs non-destructive process equipped with anti-jamming controls to produce long, intact, strong fiber up to 36" (1000 mm) long.

> Fiber Cleaning

Includes specialized cleaning modules for superior hurd-fiber separation, producing cleaner fiber and liberating more valuable hurd in the process.

▶ Bale Input

Equipped with a unique Bale Opener, the facility can mass-process both, square and round bales

▶ High Throughput Capacity

Processes up to 3000 lbs / hour (feedstock dependent) supporting large-scale business operations.

TECHNICAL SPECIFICATIONS

Overall dimensions: 96'4" L x 22'9" W x 15'3" H

- · See attached layout drawings
- Minimum height clearance in building: 19 ft (5.8 m)
- · Power Requirements: 175 kVA
- · Fully certified American built Dust Control System
 - Designed specifically for hemp dust
 - Fire/explosion containment components included
 - Indoor installation—no make-up air required
 - Quick—Disconnect ducting
- Full steel construction and powder coated
- · Standard, easily sourced drive components
- · Spare parts are stocked









BAST FIBER

HURD

GREEN MICROFIBER

MICRO-HURD

SHIPPING INFORMATION

- 4—40' HC shipping containers or flat-deck trailers
 - Total weight 90,000 lbs (41,000 kg)
- Delivery available across the world
- CSA/UL/CE Certifications available
- Delivered, installed & commissionedHands-on training + ongoing technical support
- Standard manufacturer warranty

CONTACT US!


Get in touch to book a live demo and request your custom quote today!

Address: 9385 23 St SE Bay #1


Calgary, AB | T2C 5R2 Phone: 1-877-974-3377


Email: info@canadiangreenfield.com www.canadiangreenfield.com





PLAN VIEW





SIDE VIEW

APPROVED FOR CONSTRUCTION
APPROVED BY:
DATE:
QTY:

CANADIAN GREENFIELD TAMAS TANADA	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THISDRAWING IS THE SOLD PROPERTY OF CANADAM GERENHED TECHNOLOGIES CORP. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF CANADIAN GREENHELD TECHNOLOGIES CORP. IS PROHIBITED.	DESCRIPTION HEMPTRAIN	
CALGARY, AB, CANADA	DRAWN BY: DATI	PART NO.	REV
GENERAL ARRANGEMENT DRAWING SUBJECT TO CHANGE	CHECKED BY: DATI	HI-LAYOUI	
PLEASE REQUEST CURRENT LAYOUT	APPR. BY: DATE	SCALE: NTS SHEET 2 OF 2 WEIGHT: 750	000 LBS